Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A process for preparing 5-chloro-N-({(5S)-2-oxo-3-[4-(3-oxo-4-morpholinyl)phenyl]-1,3-oxazolidin-5-yl}methyl)-2-thiophenecarboxamide of the formula (I)

$$\begin{array}{c|c} & & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\$$

characterized in that comprising

<u>preparing</u> 5-chlorothiophene-2-carbonyl chloride (IV) is <u>prepared</u> in a first step by chlorinating 5-chlorothiophene-2-carboxylic acid ; , and is then

reacting said 5-chlorothiophene-2-carbonyl chloride (IV) reacted in a second step with (2S)-3-aminopropane-1,2-diol hydrochloride (VII) to give N-((S)-2,3-dihydroxypropyl)-5-chlorothiophene-2-carboxamide (VIII) ; which is then

converting said N-((S)-2,3-dihydroxypropyl)-5-chlorothiophene-2-carboxamide (VIII) eonverted in a third step to N-((S)-3-bromo-2-hydroxypropyl)-5-chlorothiophene-2-carboxamide (IX) : which is then

converting said N-((S)-3-bromo-2-hydroxypropyl)-5-chlorothiophene-2-carboxamide (IX) converted in a fourth step by reacting with 4-(4-aminophenyl)-3-morpholinone (III) to N- $\{(R)-2-\text{hydroxy-3-}[4-(3-\text{oxomorpholin-4-yl})\text{phenylamino}]\text{propyl}\}$ -5-chlorothiophene-2-carboxamide (X); and which is then

reacting said N-{(R)-2-hydroxy-3-[4-(3-oxomorpholin-4-yl)phenylamino]propyl}-5chlorothiophene-2-carboxamide (X) reacted in a fifth step with phosgene or a phosgene equivalent.

- 2. (Currently Amended) A process for preparing N-((S)-2,3-dihydroxypropyl)-5-chlorothiophene-2-carboxamide (VIII), comprising reacting characterized in that 5-chlorothiophene-2-carbonyl chloride (IV) is reacted with (2S)-3-aminopropane-1,2-diol hydrochloride (VII).
- 3. (Currently Amended) A process for preparing N-((S)-3-bromo-2-hydroxypropyl)-5-chlorothiophene-2-carboxamide (IX) comprising reacting from N-((S)-2,3-dihydroxypropyl)-5-chlorothiophene-2-carboxamide (VIII) with hydrobromic acid in acetic acid.
- 4. (Currently Amended) A process for preparing N-{(R)-2-hydroxy-3-[4-(3-oxomorpholin-4-yl)phenylamino]propyl}-5-chlorothiophene-2-carboxamide (X), comprising reacting characterized in that N-((S)-3-bromo-2-hydroxypropyl)-5-chlorothiophene-2-carboxamide (IX) is reacted with 4-(4-aminophenyl)-3-morpholinone (III).
- 5. (Currently Amended) A process for preparing 5-chloro-N-({(5S)-2-oxo-3-[4-(3-oxo-4-morpholinyl)phenyl]-1,3-oxazolidin-5-yl}methyl)-2-thiophenecarboxamide of the formula (I), comprising reacting characterized in that N-{(R)-2-hydroxy-3-[4-(3-oxomorpholin-4-

- yl)phenylamino]propyl}-5-chlorothiophene-2-carboxamide (X) is reacted with phosgene or a phosgene equivalent.
- 6. (Original) The process as claimed in claim 5, characterized in that the phosgene equivalent is N,N-carbonyldiimidazole.
- 7. (Original) The process as claimed in claim 6, characterized in that from 1.1 to 1.3 equivalents of N,N-carbonyldiimidazole are used.
- 8. (Currently Amended) The process of as claimed in claim 5 one of claims 5 to 7, wherein characterized in that the reaction takes place in a solvent mixture of 1-methyl-2-pyrrolidone and toluene.
- 9. (Currently Amended) The process of as claimed in claim 5 one of claims 5 to 8, further comprising preparing said characterized in that the N-{(R)-2-hydroxy-3-[4-(3-oxomorpholin-4-yl)phenylamino]propyl}-5-chlorothiophene-2-carboxamide (X) is prepared by reacting N-((S)-3-bromo-2-hydroxypropyl)-5-chlorothiophene-2-carboxamide (IX) with 4-(4-aminophenyl)-3-morpholinone (III).
- (Currently Amended) The process of as claimed in claim 9, further comprising preparing characterized in that the N-((S)-3-bromo-2-hydroxypropyl)-5-chlorothiophene-2-carboxamide (IX) is prepared by converting by reacting N-((S)-2,3-dihydroxypropyl)-5-chlorothiophene-2-carboxamide (VIII) \rightarrow with hydrobromic acid in acetic acid .
- (Currently Amended) The process of as claimed in claim 10, further comprising preparing said characterized in that the N-((S)-2,3-dihydroxypropyl)-5-chlorothiophene-2-carboxamide (VIII) is prepared by reacting 5-chlorothiophene-2-carbonyl chloride (IV) with (2S)-3-aminopropane-1,2-diol hydrochloride (VII).

12. (Original) N- $\{(R)$ -2-Hydroxy-3-[4-(3-oxomorpholin-4-yl)phenylamino]propyl $\}$ -5-chlorothiophene-2-carboxamide of the formula (X)

$$0 \longrightarrow H \longrightarrow H \longrightarrow S \longrightarrow CI \qquad (X).$$

13. (Original) N-(S)-3-Bromo-2-hydroxypropyl)-5-chlorothiophene-2-carboxamide of the formula (IX)

$$\mathsf{Br} \underbrace{\mathsf{N}}_{\mathsf{OH}} \mathsf{N} \underbrace{\mathsf{S}}_{\mathsf{CI}} \mathsf{CI}$$

- (New) The process of claim 3 or 10, wherein N-((S)-2,3-dihydroxypropyl)-5-chlorothiophene-2-carboxamide (VIII) is reacted with hydrobromic acid in acetic acid in the presence of acetic anhydride.
- 15. (New) N- $\{(R)$ -2-Hydroxy-3-[4-(3-oxomorpholin-4-yl)phenylamino]propyl $\}$ -5-chlorothiophene-2-carboxamide of the formula (X)

$$0 \longrightarrow N \longrightarrow N \longrightarrow N \longrightarrow CI \qquad (X)$$

produced in accordance with the process of claim 4.

16. (New) A composition consisting essentially of N- $\{(R)$ -2-Hydroxy-3-[4-(3-oxomorpholin-4-yl)phenylamino]propyl $\}$ -5-chlorothiophene-2-carboxamide of the formula (X)